

Receive diagnostic audit information from the application service provider, the audit information corresponding to at least a portion of the information associated with the cluster computer system and determined by:

- Defining a plurality system configuration categories associated with one of the plurality system configuration parameters;
- (2) Defining a threshold benchmark for each of the plurality system configuration categories based on a predefined set of rules;
- (3) Associating each of a portion of the plurality of system configuration parameters for each of the nodes with one of the plurality of system configuration categories; and
- (4) Comparing each of the portion of the plurality of system configuration parameters for each of the nodes to the threshold benchmark for the associated system configuration category.




FIG. 4

NS Size			920 B	B B B	B B B A A	DZC B B B C C C C C C C C C C C C C C C C	B B B C C C E B
(()	075	_	В			m m ∢ ∪	B A D B
<u>8</u>		В		В	м 4	m 4 U	m
Ω	В						
B C	а ((മ		∢	∀ M	∀
516 A	4		⋖	<u> </u>	<u> </u>	<u> </u>	m <
	4 4	A		Δ		æ	m <
C C	O O	O		∢		∢	< ∪
512 C	⋖ ∪	O		В		Δ	В ∢
B B B	В В	В	_	В		⋖	B Þ
508 B			В	✓		<	A 8
50 <u>6</u>			4	A		A	< <
504		A	4	4		4	4 4
	202	NODE 1	NODE 2	NODE 3		NODF 4	NODE 4

(A) Conforms, (B) Warning, (C) Issue; (U)nknown

FIG. 5




FIG. 6




FIG. 7





FIG. 8






FIG. 10




FIG. 11